


# LIGHTING SPEC SHEET



## PRODUCT DETAILS

<b>Application</b>	Panel System
<b>Name - Brand</b>	Folio Opal – Opal 10S - Folio
<b>Country of origin</b>	Italy
<b>LED Power</b>	22W / 25W
<b>Colour Temperature</b>	2700K / 3000K / 3500K / others on request
<b>Luminous Flux (lm)</b>	2000lm / 2200lm
<b>CRI</b>	Ra min. 90 - R9 min. 50
<b>Housing Material</b>	Aluminium / Methacrylate / LED
<b>Colour</b>	Black / Ox Sliver / White
<b>Reflector / Diffuser</b>	Matte opal / Glossy opal
<b>Driver</b>	On-off / others on request


# LIGHTING SPEC SHEET



## PRODUCT DETAILS

<b>Application</b>	Panel System
<b>Name - Brand</b>	Folio Opal – Opal 10V - Folio
<b>Country of origin</b>	Italy
<b>LED Power</b>	22W / 25W
<b>Colour Temperature</b>	2700K / 3000K / 3500K / others on request
<b>Luminous Flux (lm)</b>	2000lm / 2200lm
<b>CRI</b>	Ra min. 90 - R9 min. 50
<b>Housing Material</b>	Aluminium / Methacrylate / LED
<b>Colour</b>	Black / Ox Sliver / White
<b>Reflector / Diffuser</b>	Matte opal / Glossy opal
<b>Driver</b>	On-off / others on request

# LIGHTING SPEC SHEET



Opal 10L ->

Thickness: 19 mm | 0.75 in

Weight: 24 kg/m<sup>2</sup> | 4.9 lbs/ft<sup>2</sup>



Ceiling max size

3000 × 1000 mm | 118.11 × 39.37 in

## PRODUCT DETAILS

<b>Application</b>	Panel System
<b>Name - Brand</b>	Folio Opal – Opal 10L - Folio
<b>Country of origin</b>	Italy
<b>LED Power</b>	22W / 25W
<b>Colour Temperature</b>	2700K / 3000K / 3500K / others on request
<b>Luminous Flux (lm)</b>	2000lm / 2200lm
<b>CRI</b>	Ra min. 90 - R9 min. 50
<b>Housing Material</b>	Aluminium / Methacrylate / LED
<b>Colour</b>	Black / Ox Sliver / White
<b>Reflector / Diffuser</b>	Matte opal / Glossy opal
<b>Driver</b>	On-off / others on request